From: Michael A Glagola (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=MIC0210]
Sent: 4/16/2015 7:40:37 AM
To: 'John Klamut' [J.Klamut@gaiconsultants.com]; 'John Glover' [jglover@gloverconstruction.com]
CC: 'Kenneth Kinder' [K.Kinder@gaiconsultants.com]
Subject: RE: PP Tree Clearing Plan

Also before we cut we want to run this by Harold Crane to ensure no specific internal safety documents need to be obtained from the station.

Thanks,

Mike

From: John Klamut [mailto:J.Klamut@gaiconsultants.com]
Sent: Wednesday, April 15, 2015 4:58 PM
To: John Glover
Cc: Michael A Glagola (Generation - 34); Kenneth Kinder
Subject: FW: PP Tree Clearing Plan

John,

See the attached figure showing the Pond E Dredging tree clearing areas. The trees should be cleared prior to May 4, 2015. The purpose is to fell trees which may need to be cut for the Pond E Dredging, Placement of Ash in Pond D, and installation of a temporary treatment system for dewatering.

The area that is called out as "Contractor to Verify Trees are located within the Limits of Ash" is associated with a **potential** wetland area based on our draft wetland mapping, so we need to verify there is ash where the trees will be cut. Please let me know if you have any questions.

Based on the aerial, most of the areas called out don't actually have trees in them, so hopefully this won't involve to much cutting. If there are any other areas which need tree cutting in order to perform the dredging or clean closure of Pond E please let me know.

Thanks,

John Klamut

From: Kenneth Kinder
Sent: Wednesday, April 15, 2015 2:48 PM
To: John Klamut
Subject: PP Tree Clearing Plan

John,

Attached is a pdf of the Tree Clearing Plan for Possum Point.

Thanks

Kenneth W. Kinder, PE, CFM
Assistant Engineering Manager

GAI Consultants, Inc.
300 Summers Street, Suite 1100, Charleston, WV 25301

304.926.8100 ext. 2608 f ✈ You in

transforming ideas into reality® since 1958 | gaiconsultants.com